

## Supplemental Label



# Nautique®

## AQUATIC HERBICIDE

ACCEPTED  
FOR REGISTRATION

May 16, 2013

New York State Department  
of Environmental Conservation  
Division of Materials Management  
Pesticide Product Registration

Classified for  
“RESTRICTED USE”  
in New York State  
under 6NYCRR Part 326

EPA Reg. No. 67690-10

This supplemental label expires on 03/14/2016 and must not be used or distributed after this date.

**This supplemental labeling in addition to the product label or the container must be in the possession of the user at the time of application.**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use of Nautique according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Nautique.

Read the entire label affixed to the container and supplemental label before applying.

Attention: the updated label language includes the following:

---

### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic invertebrates. Waters treated with this product may be hazardous to aquatic organisms. Treatment of aquatic weeds and algae can result in oxygen loss from decomposition of dead algae and weeds. This oxygen loss can cause fish and invertebrate suffocation. To minimize this hazard, do not treat more than ½ of the water body to avoid depletion of oxygen due to decaying vegetation. Wait at least 10 to 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult with the State or local agency with primary responsibility for regulating pesticides before applying to public waters, to determine if a permit is required.

Certain water conditions including low pH ( $\leq 6.5$ ), low dissolved organic carbon (DOC) levels (3.0 mg/L or lower), and “soft” waters (i.e. alkalinity less than 50 mg/L), increases the potential acute toxicity to non-target aquatic organisms. Do not use in waters containing trout or other fish species that are highly sensitive to copper if the alkalinity is less than 50 ppm. Fish toxicity generally decreases when the hardness of water increases. This product must not be used in ornamental ponds containing Koi.

### **APPLICATION INFORMATION**

For aquatic weed control (including vascular plants and algae), do not exceed a concentration of 1.0 ppm copper during any single application. Wait at least 10 to 14 days between treatments. When treating aquaculture ponds when fish are present, do not exceed a concentration of 0.4 ppm during any single application when targeting nuisance algae; wait a minimum of 10 days between retreatments.

©Copyright 2013 SePRO Corporation  
Nautique is a registered trademark of SePRO Corporation

FPL20130328

SePRO Corporation; 11550 North Meridian Street, Suite 600, Carmel, IN 46032